OPENINGS IN STEEL



































Openings in Steel. Express your style in steel. Amarr makes it happen.

Exceptional performance, low maintenance and durability, available in Amarr's six steel collections. From Classic Carriage House designs to contemporary flush panels, get a striking look that stands the test of time.

- 2 CLASSICA COLLECTION®
- 4 OPTIONS
- 6 OAK SUMMIT® COLLECTION
- 8 HERITAGE™ & STRATFORD® COLLECTIONS
- 10 FIMBEL® DESIGNER'S CHOICE & OLYMPUS COLLECTIONS
- 12 OPTIONS
- **13** STEEL SPECIFICATIONS

Openings in Steel. The Construction.

Amarr steel doors are built with low-maintenance, heavy-duty steel. Choose from 1000 single, 2000 double or 3000 triple-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and piece of mind you get with steel.









STEEL

1000

Single-Layer: Steel

Get value and durability with an Amarr 1000 single-layer steel door. These heavy-duty steel doors are durable, reliable, and low maintenance.

- Heavy-Duty Exterior Steel
- Durable, Reliable, Low Maintenance

2000

Double-Layer: Steel + Insulation

An Amarr 2000 double-layer door provides durable, low-maintenance features, plus a layer of vinyl-coated insulation for increased thermal properties and quieter operation.

- Heavy-Duty Exterior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene Thermal Insulation with Vinyl Backing
- Energy Efficient
- Quiet Operation

3000


Triple-Layer: Steel + Insulation + Steel

For the toughest, most energy-efficient steel door, An Amarr 3000 triple-layer door includes the ultimate in thermal properties, plus a layer of steel for a finished interior look and added durability.

- Heavy-Duty Exterior and Interior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene or Polyurethane Thermal Insulation
- Superior Energy Efficiency
- Extra Quiet Operation



CLASSICA COLLECTION®





Designs

Seven unique three-section stamped-steel designs. The Classica Collection is available in 126 design variations.

See page 13 for complete specifications.

1000

Single-Layer: Steel

2000

Double-Layer: Steel + Insulation

3000

Triple-Layer: Steel + Insulation + Steel

Decorative Options

Optional decorative hardware, reminiscent of authentic hardware found on original carriage houses, adds character to your door.

See pp. 4–5 for all window and hardware options.

Santiago with Rhine Windows (S7)









DESIGNS

Tuscany with Seine Windows (T8)















COLORS Actual paint colors may vary from samples shown.

Amarr steel doors are pre-painted; for custom colors exterior latex paint must be used.













STEEL CLASSICA COLLECTION CLASSICA COLLECTION STEEL PROTECTED BY USA AND FOREIGN PATENTS.

OPTIONS

Visit amarr.com and access Amarr's Door Designer to view specific designs in various architectural styles.

CLASSICA COLLECTION® TOP SECTIONS





































DECORATIVE HARDWARE & LOCK ALUMINUM able for Classica and Oak Summit Collections 18" STRAP HINGES WITH CLAVOS** VERSAILLES 101/2" HANDLES 17" STRAP HINGES WITH CLAVOS** CANTERBURY **Hinges with Clavos not recommended for arched openings STAMPED STEEL , and Designer's Choice Collections 11" HANDLES 16" STRAP HINGES BLUE RIDGE AMARR LOCK Available for Oak Summit, Heritage, and Stratford Collections

CLASSICA COLLECTION® COLORS

SANDTONE

MEDIUM WOODGRAIN* *Price Upcharae


ALMOND

ALPINE



OAK SUMMIT® COLLECTION

Self-Expression shouldn't cost a fortune. With Amarr's Oak Summit Collection it won't. These durable steel doors offer an attractive carriage house look. Choose from a variety of door colors, decorative hardware, and window accents. Customize your home with Amarr's most affordable carriage house door.



Designs

The Oak Summit Collection is available in four designs with your choice of ten colors and 25 windows.

See page 13 for complete specifications.

1000 Single-Layer: Steel

2000

Double-Layer: Steel + Insulation

3000

Triple-Layer: Steel + Insulation + Steel

Decorative Options

Give your door a unique carriage house look with a variety of decorative hardware options.

See page 5 for all decorative hardware options, page 12 for window options.






Raised Panel with Stockton DecraTrim (RS20)





DESIGNS



COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors exterior latex paint must be used.

























Oak Summit 1000/2000: True White, Almond, Sandtone, Terratone, and Dark Brown
Oak Summit 3000: True White, Almond, Sandtone, Brown, Terratone, Hunter Green, Gray, and Dark or Medium Woodgrain



HERITAGE™ & STRATFORD® COLLECTIONS



Tradition never goes out of style. Choose from four different panel designs to create the steel garage door you always wanted. The Heritage Collection provides a heavier gauge steel, and both collections feature durable low-maintenance doors in your choice of traditional styles.

The Heritage & Stratford Collections. Great looks for years to come.



Designs

The Heritage & Stratford Collections are available in a variety of panel designs and colors.

See page 13 for complete specifications.

1000 Single-Layer: Steel

2000

Double-Layer: Steel + Insulation

3000

Triple-Layer: Steel + Insulation + Steel

Decorative Options

Choose from contemporary or craftsmen DecraGlass windows or DecraTrim window inserts to coordinate with your home.

See page 12 for all window options, page 5 for decorative lock option.




ona Panel with Sunray DecraTrim (LP27)





DESIGNS

Short Panel with Stockton DecraTrim (SP20)



COLORS Actual paint colors may vary from samples shown.

Amarr steel doors are pre-painted; for custom colors exterior latex paint must be used.























Heritage: True White, Almond, Sandtone, and Brown
Stratford 1000/2000: True White, Almond, Sandtone, Terratone, and Dark Brown
Stratford 3000: True White, Almond, Sandtone, Brown, Terratone, Hunter Green, Gray, and Dark or Medium Woodgrain



FIMBEL® DESIGNER'S CHOICE & OLYMPUS COLLECTIONS

Design and energy efficiency make Designer's Choice and Olympus doors popular models. With triple-layer construction, a thermal seal, and superior insulation with an R-value of 19.40 or 14.46, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



Designs

Designer's Choice is a bead board carriage house design while the Olympus door is a traditional short panel design. Four colors are available on select models and widths.

See page 13 for complete specifications.

400/500

Triple-Layer: Steel + Insulation + Steel

Decorative Options

Choose window inserts or DecraGlass windows to coordinate with your home's design along with decorative hardware.

See page 12 for all window options. For Designer's Choice decorative hardware, see page 5.











DESIGNS

COLORS Actual paint colors may vary from samples shown.

Amarr steel doors are pre-painted; for custom colors exterior latex paint must be used.












*Available only in 8', 9', 10', 16', or 18' widths.

OPTIONS

Visit amarr.com and access Amarr's Door Designer to view specific designs in various architectural styles.



STEEL SPECIFICATIONS

		CARRIAGE HOUSE DESIGN									TRADITIONAL DESIGN							
	CLASSICA 1000	CLASSICA 2000	CLASSICA 3000	OAK SUMMIT 1000	OAK SUMMIT 2000	OAK SUMMIT 3000	FIMBEL DC-400	FIMBEL DC-500	HERITAGE 1000	HERITAGE 2000	HERITAGE 3000	STRATFORD 1000	STRATFORD 2000	STRATFORD 3000	FIMBEL OLYMPUS 400	FIMBEL OLYMPUS 500		
PANEL DESIGNS	1	1	1	1	1	1			1	1	1	/	/	1				
Short																		
Long											•							
Flush																		
Ribbed																		
Carriage House	7 Designs	7 Designs	7 Designs	4 Designs	4 Designs	3 Designs	1 Design	1 Design										
CONSTRUCTION LAYERS																		
Steel																		
Steel + Insulation																		
Steel + Insulation + Steel																		
DOOR THICKNESS																		
1 3/8" (3.5cm)																		
2" (5.1cm)																		
INSULATION		Polystyrene ¹	Polyurethane		Polystyrene ¹	Polystyrene ¹	Polyurethane	Polyurethane		Polystyrene ¹	Polystyrene ¹		Polystyrene ¹	Polystyrene ¹	Polyurethane	Polyurethane		
R-VALUE ²		6.84	13.35		6.84	6.58	14.46	19.40 ^{2A}		6.84	9.19		6.84	6.58	14.46	19.40 ^{2A}		
STEEL THICKNESS		0.04	10.00		0.04	0.00				0.04	5.15		0.04	0.00		10.10		
Gauge (ga)	24 ga	24 ga	25/27 ga	25 ga	25 ga	27/27 ga	27/27 ga	27/27 ga	24 ga	24 ga	24/27 ga	25 ga	25 ga	27/27 ga	27/27 ga	27/27 ga		
Gauge (mm)	0.61mm	0.61mm	0.53/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm	0.61mm	0.61mm	0.61/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm			
WOODGRAIN EXTERIOR TEXTURE	•	•	0.03/0.4211111	0.0311111	0.0311111	•	•	• •	•	0.01111111	•	0.3311111	0.3311111	•	•	0.42/0.42Hilli		
END STILES	•	•	•		•	•	•	•	•	•	•	•	•	·	·	•		
Galvanized																		
Painted	·	•		·	•							•	•					
			•			•	•		•	•	•			•	•			
THERMAL SEAL						•					•			•				
BOTTOM WEATHER SEAL	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Steel Retainer	•	•	•	•	•				•	•		•	•					
Aluminum Retainer						•					•			•				
Duo-Durometer Astragal							•	•							•	•		
DECORATIVE WINDOW OPTIONS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
WINDOW GLASS OPTIONS																		
3/32" (0.24cm) Single Strength				•	•	•	•	•	•	•	•	•	•	•	•	•		
1/8" (0.32cm) Tempered Double Strength	•	•	•															
Insulated Glass			•			•	•	•			•			•	•	•		
Obscure	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
DECORATIVE HARDWARE OPTIONS	•	•	•	•	•	•	•	•										
EXTERIOR COLOR OPTIONS																		
True White	•	•	•	•	•	•	•	• 5	•	•	•	•	•	•	• 5	• 5		
Almond	•	•	•	•	•	•			•	•	•	•	•	•		•5		
Sandtone	•	•	•	•	•	•		•5	•	•	•	•	•	•	•5	•3		
Terratone				•	•	•						•	•	•	-			
Brown						•		•5	•	•	•			•	•5	•5		
Dark Brown				•	•							•	•					
Hunter Green						•								•				
Gray						•								•				
Medium Woodgrain	٠	•	•			•								•				
Dark Woodgrain	•	•	•			•								•				
WIND LOAD ³ AVAILABLE	•	•	•	•	•	•			•	•	•	•	•	•				
WARRANTY																		
Paint Finish ⁴	Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	Lifetime	Lifetime		
Workmanship/Hardware ⁴	3 Years	5 Years	Lifetime	1 Year	2 Years	3 Years	5 Years	Lifetime	3 Years	5 Years	Lifetime	1 Year	2 Years	3 Years	5 Years	Lifetime		



























*Price Upcharae



⁵ Available only in 8', 9', 10', 16', and 18' widths. NOTE: Optional door locks and various heights and widths are available thru your local garage door dealer.

⁴ For complete warranty details, visit amarr.com or contact your local Amarr dealer.



Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in our industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering products and services that raise those standards even higher.

Visit *amarr.com* for additional products distributed by Amarr, such as custom wood carriage house doors, JELD-WEN composite doors, Dynasty Iron Doors, garage flooring, accessories, and a full line of commercial sectional, rolling sheet, and rolling steel doors.

Your Local Amarr Dealer:

165 Carriage Court Winston-Salem, NC 27105 800.503.DOOR

www.amarr.com

Amarr, Amarr Classica Collection, Classica, Classica Collection, WeatherGuard, Fimbel, Stratford, Oak Summit, and WindPro are registered trademarks of Amarr Company, North Carolina, U.S.A.

The Bob Timberlake Signature and Quill are registered trademarks of Bob Timberlake, Inc., North Carolina, U.S.A. Biltmore" For Your Home is a registered trademark of The Biltmore Company, North Carolina, U.S.A. JELD-WEN is a registered trademark of JELD-WEN, Inc., Oregon, U.S.A.

Oregon, O.S.A. Amarr manufactures and distributes Bob Timberlake® and Biltmore® For Your Home products under licensing agreements. Amarr distributes [ELD-WEN® brand product under a national distribution agreement.

Amarr reserves the right to change specifications and designs without notice and without incurring obligations.

Amarr Company's products may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©2011 Amarr Garage Doors Printed in the U.S.A. Form #6450811/35M/HA







